

muLISP-90 Internal and External Forms

Form	Group/File	Type	Page
ABS [n]	Numerical	Function	138
ABSTRAP [object]	Break	Function	277
ACONS [key, object, a-list]	A-list	Function	94
ACOS [n]	IRRATNAL.LSP	Function	291
ACOSH [n]	IRRATNAL.LSP	Function	293
ACOT [n, m]	IRRATNAL.LSP	Function	291
ACOTH [n]	IRRATNAL.LSP	Function	293
ACSC [n]	IRRATNAL.LSP	Function	291
ACSCH [n]	IRRATNAL.LSP	Function	293
ADD1 [n]	Numerical	Function	133
ADJOIN [object, list, test]	Constructor	Function	61
ALLOCATE [n]	Memory	Function	204
ALPHA-CHAR-P [symbol]	Character	Function	152
ALPHANUMERICP [symbol]	Character	Function	152
AND [form1, ..., formn]	Logical	Special form	51
APPEND [list1, ..., listn]	Constructor	Function	63
APPLY [function, arg1, ..., argn, arglist]	Application	Function	190
AREF [array, subscript1, ...]	ARRAY.LSP	Macro	283
ARRAY-DIMENSION [array, axis]	ARRAY.LSP	Function	284
ARRAY-DIMENSIONS [array]	ARRAY.LSP	Function	284
ARRAY-IN-BOUNDS [array, subscript1, ...]	ARRAY.LSP	Function	285
ARRAY-RANK [array]	ARRAY.LSP	Function	284
ARRAY-TOTAL-SIZE [array]	ARRAY.LSP	Function	284
ARRAYP [object]	ARRAY.LSP	Function	285
ASCII [atom]	Character	Function	156
ASEC [n]	IRRATNAL.LSP	Function	291
ASECH [n]	IRRATNAL.LSP	Function	293
ASH [n, count]	Numerical	Function	146
ASIN [n]	IRRATNAL.LSP	Function	291
ASINH [n]	IRRATNAL.LSP	Function	293
ASSOC [key, a-list, test]	A-list	Function	95
ASSOC-IF [test, a-list]	A-list	Function	95
ATAN [n, m]	IRRATNAL.LSP	Function	291
ATANH [n]	IRRATNAL.LSP	Function	293
ATOM [object]	Recognizer	Function	42
AUTO-NEWLINE: T	Output	Control var.	225
BACK [distance]	GRAPHICS.LSP	Function	311
BACKGROUND-COLOR [n]	Screen	Function	234
BENCH-MARK [form]	Hardware	Macro	238
BINARY-LOAD [file, offset]	Hardware	Function	247
BLANK-COMPRESS: NIL	Output	Control var.	225
BORDER-COLOR [n]	Screen	Function	234
BOUNDP [symbol]	Symbol	Function	101
BOUNDP-IN-CLOSURE [closure, symbol]	CLOSURE.LSP	Function	308
BREAK [object, message]	Break	Function	273
BREAK	Break	Variable	273
BREAK-CHARS [list, flag]	Input	Function	208
BUTLAST [list, n]	Constructor	Function	66
BUTTON-PRESSES [button]	MOUSE.LSP	Function	315
BUTTON-RELEASES [button]	MOUSE.LSP	Function	315

CAAAAR [object]	Selector	Function	54
CAAADR [object]	Selector	Function	54
CAAAR [object]	Selector	Function	54
CAADAR [object]	Selector	Function	54
CAADDR [object]	Selector	Function	54
CAADR [object]	Selector	Function	54
CAAR [object]	Selector	Function	54
CADAAR [object]	Selector	Function	54
CADADR [object]	Selector	Function	54
CADAR [object]	Selector	Function	54
CADDAR [object]	Selector	Function	54
CADDR [object]	Selector	Function	54
CADDR [object]	Selector	Function	54
CADR [object]	Selector	Function	54
CAR [object]	Selector	Function	53
CASE [keyform, case1, ..., casen]	Control	Macro	175
CATCH [tag, form1, ..., formn]	Control	Special form	179
CDAAAR [object]	Selector	Function	54
CDAADR [object]	Selector	Function	54
CDAAR [object]	Selector	Function	54
CDADAR [object]	Selector	Function	54
CDADDR [object]	Selector	Function	54
CDADR [object]	Selector	Function	54
CDAR [object]	Selector	Function	54
CDDAAR [object]	Selector	Function	54
CDDADR [object]	Selector	Function	54
CDDAR [object]	Selector	Function	54
CDDDAR [object]	Selector	Function	54
CDDDDR [object]	Selector	Function	54
CDDDR [object]	Selector	Function	54
CDDR [object]	Selector	Function	54
CDR [object]	Selector	Function	53
CEILING [n, m]	Numerical	Function	140
CHANGE-WINDOW []	WINDOWS.LSP	Function	341
CHAR [atom, n]	String	Function	160
CHAR-CODE [symbol]	Character	Function	156
CHAR-DOWNCASE [symbol]	Character	Function	157
CHAR-EQUAL [sym1, ..., symn]	Character	Function	155
CHAR-GREATERP [sym1, ..., symn]	Character	Function	155
CHAR-LESSP [sym1, ..., symn]	Character	Function	155
CHAR-NOT-EQUAL [sym1, ..., symn]	Character	Function	155
CHAR-NOT-GREATERP [sym1, ..., symn]	Character	Function	155
CHAR-NOT-LESSP [sym1, ..., symn]	Character	Function	155
CHAR-UPCASE [symbol]	Character	Function	157
CHAR= [symbol1, ..., symboln]	Character	Function	154
CHAR< [symbol1, ..., symboln]	Character	Function	154
CHAR> [symbol1, ..., symboln]	Character	Function	154
CHAR<= [symbol1, ..., symboln]	Character	Function	154
CHAR>= [symbol1, ..., symboln]	Character	Function	154
CHAR/= [symbol1, ..., symboln]	Character	Function	154
CLEAR-INPUT [source]	Input	Function	211
CLEAR-SCREEN []	Screen	Function	232
CLOSE-INPUT-FILE [file]	Input file	Function	251
CLOSE-OUTPUT-FILE [file]	Output file	Function	257
CLOSE-WINDOW	WINDOWS.LSP	Keyword	340
CLOSURE [varlist, function]	CLOSURE.LSP	Function	304

CLOSURE-ALIST [closure]	CLOSURE.LSP	Function	308
CLOSURE-FUNCTION [closure]	CLOSURE.LSP	Function	308
CLOSURE-VARIABLES [closure]	CLOSURE.LSP	Function	308
CLOSUREP [closure]	CLOSURE.LSP	Function	306
CLR []	GRAPHICS.LSP	Function	310
CODE-CHAR [n]	Character	Function	156
COLOR	GRAPHICS.LSP	Control var.	309
COLUMN []	Screen	Function	231
COLUMNS []	Screen	Function	231
COMMENT [comments]	Evaluation	Macro	188
COMPILE [name]	COMPILE.LSP	Function	346
COMPILE-FILE [compile-files, load-files]	COMPILE.LSP	Function	348
:CONC-NAME [prefix]	STRUCTUR.LSP	Option	295
COND [cond1, ..., condn]	Control	Special form	174
CONDENSE: NIL	Definition	Control var.	120
CONS [obj1, obj2]	Constructor	Function	60
CONSOLE-INTERRUPT []	Break	Function	276
CONSP [object]	Recognizer	Function	43
CONSTANTP [object]	Evaluation	Function	187
:CONSTRUCTOR [name, arglist]	STRUCTUR.LSP	Option	295
CONTINUE-PROMPT []	WINDOWS.LSP	Function	341
:COPIER [name]	STRUCTUR.LSP	Option	295
COPY-ALIST [a-list]	A-list	Function	94
COPY-CHAR-TYPE [char1, char2, flag]	Input	Function	214
COPY-CLOSURE [closure]	CLOSURE.LSP	Function	306
COPY-LIST [list]	Constructor	Function	64
COPY-TREE [object]	Constructor	Function	64
COS [n]	IRRATNAL.LSP	Function	290
COS-DEG [angle]	GRAPHICS.LSP	Function	309
COSH [n]	IRRATNAL.LSP	Function	292
COT [n]	IRRATNAL.LSP	Function	290
COTH [n]	IRRATNAL.LSP	Function	292
COUNT [object, list, test]	Search	Function	82
COUNT-IF [test, list]	Search	Function	82
CREATE-WINDOW	WINDOWS.LSP	Keyword	340
CSC [n]	IRRATNAL.LSP	Function	290
CSCH [n]	IRRATNAL.LSP	Function	292
CSMEMORY [offset, value, flag]	Hardware	Function	243
CURSOR-LINES [start-line, end-line]	Screen	Function	236
DECF [place, n]	Numerical	Macro	135
DECQ [symbol, n]	Numerical	Special form	134
DEFAULT-DRIVE [drive]	Directory	Function	264
DEFAULT-PATH [drive, path]	Directory	Function	264
DEFFLAVOR [name, vars, flavors, opt1, ...]	FLAVORS.LSP	Macro	298
DEFMACRO [sym, arglist, form1, ...]	Definition	Special form	119
DEFMETHOD [(flv type meth), args, form1, ...]	FLAVORS.LSP	Macro	300
DEFSTRUCT [(name opt1 ...), slot1, ...]	STRUCTUR.LSP	Macro	294
DEFUN [symbol, arglist, form1, ..., formn]	Definition	Special form	118
DEFUN [symbol, (ftype arglist form1 ... formn)]	Definition	Special form	118
DEFUN [symbol, address]	Definition	Special form	118
DEFWHOPPER [(flavor meth), args, form1, ...]	FLAVORS.LSP	Macro	301
DELETE [item, list, test]	Deletion	Function	77
DELETE-COMPILER []	COMPILE.LSP	Macro	347
DELETE-DUPPLICATES [list, test]	Deletion	Function	79
DELETE-FILE [file]	File	Function	262
DELETE-IF [test, list]	Deletion	Function	78

DELETE-LINES [n]	Screen	Function	232
DELETE-NTH [list, n]	Modifier	Function	75
DENOMINATOR [n]	Numerical	Function	139
DENTRAP [object]	Break	Function	277
DIGIT-CHAR-P [symbol, radix]	Character	Function	153
DIRECTORY [path]	Directory	Function	264
DISPLAY-PAGE [n, active-only]	Screen	Function	235
DIVIDE [n, m]	Numerical	Function	143
DO [letlist, form1, ..., formn]	Control	Macro	177
DO* [letlist, form1, ..., formn]	Control	Macro	177
DOLIST [(var list result), form1, ..., formn]	Control	Macro	178
DOS [command]	Control	Function	183
DOT [x, y]	GRAPHICS.LSP	Function	309
DOTIMES [(var count result), form1, ..., formn]	Control	Macro	178
DRIVER [file]	Driver	Function	271
DRIVER: 'DRIVER	Driver	Control var.	270
DSMEMORY [offset, value, flag]	Hardware	Function	243
EIGHTH [list]	Selector	Function	56
ENCODE-UNIVERSAL-TIME [s, m, h, d, mo, y, z]	Hardware	Function	239
ENDP [object]	Recognizer	Function	44
EQ [obj1, obj2]	Comparator	Function	45
EQL [obj1, obj2]	Comparator	Function	46
EQUAL [obj1, obj2, test]	Comparator	Function	47
ERROR-BEEP []	WINDOWS.LSP	Function	341
EVAL [form]	Evaluation	Function	184
EVAL-FUNCTION-P [symbol]	Definition	Function	114
EVENP [object]	Numerical	Function	126
EVERY [test, list1, ..., listn]	Mapping	Function	195
EXACT-MODE: NIL	Numerical	Control var.	122
EXACT-MODEP []	IRRATNAL.LSP	Function	286
EXECUTE [program, command]	Control	Function	183
EXECUTE-OPTION [prompt, option-tree]	WINDOWS.LSP	Function	341
EXP [n]	IRRATNAL.LSP	Function	286
EXPT [n, m]	IRRATNAL.LSP	Function	287
BOUNDP [symbol]	Definition	Function	114
FIFTH [list]	Selector	Function	56
FILE-DATE [file]	File	Function	263
FILE-LENGTH [file]	File	Function	263
FILE-LINE-LENGTH [n, file]	Output file	Function	261
FILE-READ-POSITION [n, file]	Input file	Function	254
FILE-WRITE-POSITION [n, file]	Output file	Function	260
FILL [list, object]	Modifier	Function	71
FIND [object, list, test]	Search	Function	80
FIND-IF [test, list]	Search	Function	80
FINDSTRING [atom1, atom2, n]	String	Function	166
FIRST [list]	Selector	Function	56
FIRSTN [n, list]	Constructor	Function	66
FLAG [symbol, flag]	Flag	Function	111
FLAGP [symbol, flag]	Flag	Function	111
FLOOR [n, m]	Numerical	Function	140
FMAKUNBOUND [symbol]	Definition	Function	117
FOREGROUND-COLOR [n]	Screen	Function	234
FORWARD [distance]	GRAPHICS.LSP	Function	311
FOURTH [list]	Selector	Function	56
FREE-LIST: NIL	Memory	Variable	203
FRESH-LINE [sink]	Output	Function	223

FUNCALL [function, arg1, ..., argn]	Application	Function	189
FUNCTIONP [object]	Evaluation	Function	187
GCD [n1, ..., nm]	Numerical	Function	136
GCDTRAP [obj1, obj2]	Break	Function	277
GCHOOK: NIL	Memory	Control var.	203
GCSTAT: NIL	Memory	Control var.	201
GENSYM [atom]	String	Function	168
GENSYM-COUNT: 0	String	Control var.	168
GENSYM-PREFIX: G	String	Control var.	168
GET [symbol, key, default]	Property	Function	109
GET-DECODED-TIME []	Hardware	Function	239
GET-PROPERTIES [plist, key-list]	Property	Function	109
GET-UNIVERSAL-TIME []	Hardware	Function	239
GET-MACRO-CHAR [char, flag]	Input	Function	215
GETD [symbol, flag]	Definition	Function	112
GETF [plist, key, default]	Property	Function	109
GETSET [parameter]	Directory	Function	265
:GETTABLE-INSTANCE-VARIABLES	FLAVORS.LSP	Option	298
GO-DOS []	WINDOWS.LSP	Function	342
HIDE-MOUSE []	MOUSE.LSP	Function	314
HISTORY-LENGTH: 25	DEBUG.LSP	Control var.	338
IDENTITY [object]	Evaluation	Function	186
IF [testform, thenform, elseform]	Control	Special form	173
IGNORE-CASE: NIL	Input	Control var.	219
INCF [place, n]	Numerical	Macro	135
:INCLUDE [structure]	STRUCTUR.LSP	Option	296
:INCLUDED-FLAVORS [flavor1, ..., flavor]	FLAVORS.LSP	Option	299
INCQ [symbol, n]	Numerical	Special form	134
:INITABLE-INSTANCE-VARIABLES	FLAVORS.LSP	Option	298
:INITIAL-CONTENTS expression	ARRAY.LSP	Option	282
:INITIAL-ELEMENT expression	ARRAY.LSP	Option	282
INIT-WINDOW	WINDOWS.LSP	Control var.	339
INPUT-ECHO: NIL	Input	Control var.	218
INPUT-FILE [file]	Input file	Function	252
INPUT-FILE: NIL	Input file	Control var.	253
INPUT-FILE-P [file]	Input file	Function	252
INPUT-FILES []	Input file	Function	252
INSERT-LINES [n]	Screen	Function	232
INSERT-MODE: T	Line editor	Control var.	280
INSERT-NTH [item, list, n]	Modifier	Function	75
INTEGER-LENGTH [n]	Numerical	Function	147
INTEGERP [object]	Recognizer	Function	41
INTERRUPT [n]	Hardware	Function	246
INTERRUPT-HOOK: 'CONSOLE-INTERRUPT	Break	Control var.	276
INTERSECTION [list1, list2, test]	Set	Function	90
ISQRT [n]	IRRATNAL.LSP	Function	287
KEY-TRANSLATION [char, index]	Line editor	Function	388
LAMBDA	Definition	Keyword	112
LAST [list]	Selector	Function	57
LCM [n1, ..., nm]	Numerical	Function	137
LCMTRAP [obj1, obj2]	Break	Function	277
LCONC [dotted-pair, list]	Modifier	Function	76
LDIFF [list, tail]	Constructor	Function	67
LEFT [angle]	GRAPHICS.LSP	Function	310
LEFT-BUTTON	MOUSE.LSP	Variable	315
LENGTH [object]	Selector	Function	59

LET [letlist, form1, ..., formn]	Control	Macro	172
LET* [letlist, form1, ..., formn]	Control	Macro	172
LET-CLOSED [letlist, function]	CLOSURE.LSP	Macro	305
LINE [x1, y1, x2, y2]	GRAPHICS.LSP	Function	309
LINE-COLUMN	Line editor	Variable	279
LINE-EDIT [text, point, col, width]	Line editor	Function	279
LINE-POINT	Line editor	Variable	279
LINE-TERMINATOR	Line editor	Variable	279
LIST [obj1, ..., objn]	Constructor	Function	62
LIST* [obj1, ..., objn]	Constructor	Function	62
LIST-LENGTH [object]	Selector	Function	59
LISTEN [source]	Input	Function	211
LISTP [object]	Recognizer	Function	43
LN [n]	IRRATNAL.LSP	Function	288
LOAD [file, display]	Memory image	Function	268
LOAD-VERBOSE: T	Memory image	Control var.	268
LOCATE-IN-CLOSURE [closure, symbol]	CLOSURE.LSP	Function	307
LOCATION [object]	Hardware	Function	245
LOG [n, base]	IRRATNAL.LSP	Function	288
LOGAND [n1, ..., nm]	Numerical	Function	145
LOGBITP [index, n]	Numerical	Function	144
LOGEQV [n1, ..., nm]	Numerical	Function	145
LOGIOR [n1, ..., nm]	Numerical	Function	145
LOGNOT [n]	Numerical	Function	144
LOGTEST [n, m]	Numerical	Function	144
LOGXOR [n1, ..., nm]	Numerical	Function	145
LOOP [form1, ..., formn]	Control	Special form	176
LOWER-CASE-P [symbol]	Character	Function	151
MACRO	Definition	Keyword	112
MACRO-FUNCTION [symbol]	Macro	Function	197
MACRO-P [symbol]	Definition	Function	114
MACROEXPAND [form]	Macro	Function	198
MACROEXPAND: T	Macro	Control var.	199
MACROEXPAND-1 [form]	Macro	Function	198
MAKE-ARRAY [dimensions, opt1, ..., optn]	ARRAY.LSP	Function	282
MAKE-INSTANCE [flavor, vars]	FLAVORS.LSP	Macro	302
MAKE-LIST [n, object, list]	Constructor	Function	64
MAKE-RANDOM-STATE [state]	Numerical	Function	149
MAKE-WINDOW [row, column, rows, cols]	Screen	Function	230
MAPC [function, list1, ..., listn]	Mapping	Function	191
MAPCAN [function, list1, ..., listn]	Mapping	Function	193
MAPCAR [function, list1, ..., listn]	Mapping	Function	192
MAPCON [function, list1, ..., listn]	Mapping	Function	193
MAPL [function, list1, ..., listn]	Mapping	Function	191
MAPLIST [function, list1, ..., listn]	Mapping	Function	192
MAX [n1, ..., nm]	Numerical	Function	130
MAXTRAP [obj1, obj2]	Break	Function	277
MEMBER [object, list, test]	Search	Function	84
MEMBER-IF [test, list]	Search	Function	84
MEMORY [address, value, flag]	Hardware	Function	242
MERGE [list1, list2, test]	Sorting	Function	99
:METHOD-COMBINATION	FLAVORS.LSP	Option	299
MIN [n1, ..., nm]	Numerical	Function	130
MINTRAP [obj1, obj2]	Break	Function	277
MINUSP [object]	Numerical	Function	125
MISMATCH [list1, list2, test]	Search	Function	83

MOD [n, m]	Numerical	Function	142
MOUSE-BOX [x1, y1, x2, y2]	MOUSE.LSP	Function	316
MOUSE-POSITION [x, y]	MOUSE.LSP	Function	314
MOUSE-RESET []	MOUSE.LSP	Function	313
MOUSE-STATUS []	MOUSE.LSP	Function	315
MOUSE-X	MOUSE.LSP	Function	314
MOUSE-Y	MOUSE.LSP	Function	314
MOVD [symbol1, symbol2]	Definition	Function	116
:NAMED	STRUCTUR.LSP	Option	296
NBUTLAST [list, n]	Modifier	Function	74
NCONC [list1, ..., listn]	Modifier	Function	72
NEQ [obj1, obj2]	Comparator	Function	45
NEQL [obj1, obj2]	Comparator	Function	46
NEW-CODE-SPACE []	Memory	Function	205
NIL	Evaluation	Constant	44
NINTERSECTION [list1, list2, test]	Set	Function	90
NINTH [list]	Selector	Function	56
NLAMBDA	Definition	Keyword	112
NO-EVAL-FUNCTION-P [symbol]	Definition	Function	114
:NO-VANILLA-FLAVOR	FLAVORS.LSP	Option	299
NOT [object]	Logical	Function	50
NOTANY [test, list1, ..., listn]	Mapping	Function	194
NOTEVERY [test, list1, ..., listn]	Mapping	Function	195
NRECONC [list, object]	Modifier	Function	73
NREVERSE [list, object]	Modifier	Function	73
NSET-DIFFERENCE [list1, list2, test]	Set	Function	91
NSET-EXCLUSIVE-OR [list1, list2, test]	Set	Function	92
NSUBLIS [a-list, object, test]	A-list	Function	97
NSUBST [new, old, object, test]	Substitution	Function	87
NSUBST-IF [new, test, object]	Substitution	Function	88
NSUBSTITUTE [new, old, list, test]	Substitution	Function	85
NSUBSTITUTE-IF [new, test, list]	Substitution	Function	86
NTH [n, list]	Selector	Function	58
NTHCDR [n, list]	Selector	Function	58
NULL [object]	Recognizer	Function	44
NUMBERP [object]	Recognizer	Function	41
NUMERATOR [n]	Numerical	Function	139
NUMERIC-CHAR-P [symbol]	Character	Function	152
NUMTRAP [object]	Break	Function	277
NUNION [list1, list2, test]	Set	Function	89
OBLIST []	Constructor	Function	69
ODDP [object]	Numerical	Function	126
OPEN-INPUT-FILE [file]	Input file	Function	250
OPEN-OUTPUT-FILE [file, overwrite]	Output file	Function	255
OR [form1, ..., formn]	Logical	Special form	52
ORDERP [obj1, obj2]	Comparator	Function	49
OTHERWISE	Control	Keyword	175
OUTPUT-ECHO: NIL	Output	Control var.	225
OUTPUT-FILE [file]	Output file	Function	258
OUTPUT-FILE: NIL	Output file	Control var.	259
OUTPUT-FILE-P [file]	Output file	Function	258
OUTPUT-FILES []	Output file	Function	258
PACK [list]	String	Function	159
PACK* [atom1, ..., atomn]	String	Function	159
PAIRLIS [keys, objects, a-list]	A-list	Function	94
PALETTE-COLOR [n]	Screen	Function	234

PARSE-INTEGER [string, radix]	Input	Function	213
PEEK-CHAR [type, source, eof-p, eof-v]	Input	Function	210
PENDOWN []	GRAPHICS.LSP	Function	310
PENUP []	GRAPHICS.LSP	Function	310
PI []	IRRATNAL.LSP	Function	289
PLOT-CIRCLE [x, y, r, color]	Screen	Function	237
PLOT-DOT [x, y, color]	Screen	Function	237
PLOT-LINE [x1, y1, x2, y2, color]	Screen	Function	237
PLUSP [object]	Numerical	Function	125
POP [symbol]	Symbol	Special form	106
PORTIO [port, value, flag]	Hardware	Function	241
POSITION [object, list, test]	Search	Function	81
POSITION-IF [test, list]	Search	Function	81
PRECISION [n]	Numerical	Function	122
:PREDICATE [name]	STRUCTUR.LSP	Option	295
PRIN1 [object, sink]	Output	Function	221
PRINC [object, sink]	Output	Function	221
PRINT [object, sink]	Output	Function	221
PRINT-BASE: 10	Output	Control var.	227
PRINT-DOWNCASE: NIL	Output	Control var.	226
PRINT-ESCAPE: T	Output	Control var.	226
PRINT-LENGTH [atom]	String	Function	167
PRINT-POINT: 7	Output	Control var.	228
PRINT-SCREEN [row, col]	Output	Function	Readme
PRINT-TRACE: NIL	DEBUG.LSP	Control var.	338
PRINTER-ECHO: NIL	Output	Control var.	225
PROBE-FILE [file]	File	Function	262
PROG1 [form1, ..., formn]	Control	Special form	171
PROG2 [form1, ..., formn]	Control	Macro	171
PROGN [form1, ..., formn]	Control	Special form	170
PROMPT-YN [prompt]	WINDOWS.LSP	Function	341
PSETQ [symbol1, form1, ..., symboln, formn]	Symbol	Special form	104
PUSH [form, symbol]	Symbol	Special form	107
PUSHNEW [form, symbol, test]	Symbol	Macro	107
PUT [symbol, key, object]	Property	Function	108
PUTD [symbol, definition]	Definition	Function	115
QUIT-PROGRAM []	WINDOWS.LSP	Function	342
QUOTE [object]	Evaluation	Special form	186
RANDOM [n, state]	Numerical	Function	148
RANDOM-STATE	Numerical	Control var.	149
RANDOM-STATE-P [object]	Numerical	Function	150
RASSOC [key, a-list, test]	A-list	Function	96
RASSOC-IF [test, a-list]	A-list	Function	96
RATIONAL	IRRATNAL.LSP	Keyword	286
RATIONALP [object]	Recognizer	Function	41
READ [source, eof-p, eof-v]	Input	Function	207
READ-ATOM [source, eof-p, eof-v]	Input	Function	208
READ-BASE: 10	Input	Control var.	218
READ-BYTE [source, eof-p, eof-v]	Input	Function	209
READ-CHAR [source, eof-p, eof-v]	Input	Function	209
READ-DOT [x, y]	Screen	Function	237
READ-FROM-STRING [string, eof-p, eof-v]	Input	Function	212
READ-LINE [source, eof-p, eof-v]	Input	Function	209
READ-RECORD [n, source, eof-p, eof-v]	Input	Function	209
READ-STRINGS	Input	Variable	212
READ-UPCASE: T	Input	Control var.	218

RECLAIM []	Memory	Function	200
REDUCE [function, list, initial]	Mapping	Function	196
REGISTER [regnum, low, high]	Hardware	Function	246
REM [n, m]	Numerical	Function	142
REMD [symbol]	Definition	Function	117
REMF [place, key]	Property	Function	110
REMFLAG [symbol, flag]	Flag	Function	111
REMOVE [item, list, test]	Deletion	Function	77
REMOVE-DUPLICATES [list, test]	Deletion	Function	79
REMOVE-IF [test, list]	Deletion	Function	78
REMPROP [symbol, key]	Property	Function	110
RENAME-FILE [oldname, newname]	File	Function	262
REPLACE [list1, list2]	Modifier	Function	71
REPLACE-NTH [item, list, n]	Modifier	Function	75
:REQUIRED-FLAVORS [flavor1, ..., flavorn]	FLAVORS.LSP	Option	298
REST [list]	Selector	Function	56
RESTART []	Control	Function	182
RETURN [form]	Control	Special form	181
REVAPPEND [list, object]	Constructor	Function	68
REVERSE [list, object]	Constructor	Function	68
RIGHT [angle]	GRAPHICS.LSP	Function	310
RIGHT-BUTTON	MOUSE.LSP	Variable	315
ROUND [n, m]	Numerical	Function	141
ROW []	Screen	Function	231
ROWS []	Screen	Function	231
RPLACA [obj1, obj2]	Modifier	Function	70
RPLACD [obj1, obj2]	Modifier	Function	70
RUN-WINDOW	WINDOWS.LSP	Keyword	340
SAVE [file]	Memory image	Function	266
SEC [n]	IRRATNAL.LSP	Function	290
SECH [n]	IRRATNAL.LSP	Function	292
SECOND [list]	Selector	Function	56
SELF	FLAVORS.LSP	Variable	303
SEND [object, operation, arg1, ..., argn]	FLAVORS.LSP	Macro	303
SET [symbol, object]	Symbol	Function	102
SET-CURSOR [row, column]	Screen	Function	231
SET-DIFFERENCE [list1, list2, test]	Set	Function	91
SET-DISPLAY []	WINDOWS.LSP	Function	342
SET-EXCLUSIVE-OR [list1, list2, test]	Set	Function	92
SET-IN-CLOSURE [closure, symbol, object]	CLOSURE.LSP	Function	307
SET-INSERT []	WINDOWS.LSP	Function	342
SET-MACRO-CHAR [char, defn, flag]	Input	Function	215
SET-MENU-COLOR []	WINDOWS.LSP	Function	342
SET-MUTE []	WINDOWS.LSP	Function	342
SET-WORK-COLOR []	WINDOWS.LSP	Function	342
SETCOLOR [angle]	GRAPHICS.LSP	Function	310
SETF [place1, form1, ..., placen, formn]	Symbol	Macro	105
SETHEADING [angle]	GRAPHICS.LSP	Function	310
SETPOS [x, y]	GRAPHICS.LSP	Function	310
SETQ [symbol1, form1, ..., symboln, formn]	Symbol	Special form	103
:SETTABLE-INSTANCE-VARIABLES	FLAVORS.LSP	Option	298
SEVENTH [list]	Selector	Function	56
SHIFT [n, count]	Numerical	Function	146
SHOW-LOAD: T	DEBUG.LSP	Control var.	335
SHOW-MOUSE []	MOUSE.LSP	Function	314
SHOW-PROMPT [prompt]	WINDOWS.LSP	Function	342

SIGNUM [n]	Numerical	Function	138
SIN [n]	IRRATNAL.LSP	Function	290
SIN-DEG [angle]	GRAPHICS.LSP	Function	309
SINH [n]	IRRATNAL.LSP	Function	292
SIXTH [list]	Selector	Function	56
SLEEP [seconds]	Hardware	Function	240
SNAPSHOT [address, atom]	Hardware	Function	248
SOME [test, list1, ..., listn]	Mapping	Function	194
SORT [list, test]	Sorting	Function	100
SPACES [n, sink]	Output	Function	223
SPECIAL	Definition	Keyword	112
SPECIAL-FORM-P [symbol]	Definition	Function	114
SPLIT [list]	Sorting	Function	98
SQRT [n]	IRRATNAL.LSP	Function	287
STABLE-SORT [list, test]	Sorting	Function	100
STACK-LIST []	Constructor	Function	69
STRING-CAPITALIZE [atom]	String	Function	165
STRING-DOWNCASE [atom]	String	Function	165
STRING-EQUAL [atom1, atom2]	String	Macro	161
STRING-GREATERP [atom1, atom2]	String	Macro	163
STRING-INDEX	Input	Variable	212
STRING-LEFT-TRIM [chars, atom]	String	Function	164
STRING-LESSP [atom1, atom2]	String	Macro	163
STRING-NOT-EQUAL [atom1, atom2]	String	Macro	163
STRING-NOT-GREATERP [atom1, atom2]	String	Macro	163
STRING-NOT-LESSP [atom1, atom2]	String	Macro	163
STRING-RIGHT-TRIM [chars, atom]	String	Function	164
STRING-TRIM [chars, atom]	String	Function	164
STRING-UPCASE [atom]	String	Function	165
STRING= [atom1, atom2, flag]	String	Function	161
STRING< [atom1, atom2, flag]	String	Function	162
STRING> [atom1, atom2, flag]	String	Function	162
STRING<= [atom1, atom2, flag]	String	Function	162
STRING>= [atom1, atom2, flag]	String	Function	162
STRING/= [atom1, atom2, flag]	String	Function	162
STRINGP [object]	Recognizer	Function	40
SUB1 [n]	Numerical	Function	133
SUBLIS [a-list, object, test]	A-list	Function	97
SUBLIST [list, n, m]	Constructor	Function	65
SUBSETP [list1, list2, test]	Set	Function	93
SUBST [new, old, object, test]	Substitution	Function	87
SUBST-IF [new, test, object]	Substitution	Function	88
SUBSTITUTE [new, old, list, test]	Substitution	Function	85
SUBSTITUTE-IF [new, test, list]	Substitution	Function	86
SUBSTRING [atom, n, m]	String	Function	160
SYMBOL-FUNCTION [symbol]	Definition	Function	113
SYMBOL-PLIST [symbol]	Property	Function	109
SYMBOL-VALUE [symbol]	Symbol	Function	101
SYMBOLP [object]	Recognizer	Function	40
SYMEVAL-IN-CLOSURE [closure, symbol]	CLOSURE.LSP	Function	307
SYSTEM [n]	Control	Function	182
TAB-EXPAND: NIL	Input	Control var.	218
TAILP [list1, list2]	Comparator	Function	48
TAN [n]	IRRATNAL.LSP	Function	290
TANH [n]	IRRATNAL.LSP	Function	292
TCONC [dotted-pair, object]	Modifier	Function	76

TENTH [list]	Selector	Function	56
TERPRI [n, sink]	Output	Function	223
THIRD [list]	Selector	Function	56
THROW [tag, form]	Control	Special form	181
THROW-TAG	Control	Variable	181
TIME [reset]	Hardware	Function	238
TIME-ZONE: 0	Hardware	Control var.	239
TONE [frequency, milliseconds]	Hardware	Function	240
*TRAP [obj1, obj2]	Break	Function	277
TREE-EQUAL [obj1, obj2, test]	Comparator	Function	47
TRUNCATE [n, m]	Numerical	Function	141
TURTLE []	GRAPHICS.LSP	Function	312
TURTLE-WINDOW []	GRAPHICS.LSP	Function	312
:TYPE LIST	STRUCTUR.LSP	Option	296
UNDEFINED-HOOK: 'UNDEFINED-FUNCTION	Break	Control var.	276
UNDEFINED-FUNCTION [form]	Break	Function	276
UNDEFMETHOD [(flavor type method)]	FLAVORS.LSP	Macro	300
UNDERFLOW [n]	Numerical	Function	124
UNION [list1, list2, test]	Set	Function	89
UNLESS [testform, form1, ..., formn]	Control	Macro	173
UNPACK [atom]	String	Function	158
UNREAD-CHAR [source]	Input	Function	210
UNWIND-PROTECT [form1, form2, ..., formn]	Control	Special form	180
UPDATE-STATE [arglist]	WINDOWS.LSP	Function	343
UPDATE-WINDOW	WINDOWS.LSP	Keyword	340
UPPER-CASE-P [symbol]	Character	Function	151
VECTOR [obj1, ..., objn]	ARRAY.LSP	Function	282
VIDEO-MODE [n, compressed-text-flag]	Screen	Function	233
WINDOW-TYPES	WINDOWS.LSP	Control var.	339
WINDOWS [command-line]	WINDOWS.LSP	Function	343
WHEN [testform, form1, ..., formn]	Control	Macro	173
WRITE [object, sink]	Output	Function	220
WRITE-BYTE [n, m, sink]	Output	Function	224
WRITE-LINE [symbol, sink]	Output	Function	222
WRITE-SCREEN [sink]	Output	Function	Readme
WRITE-STRING [symbol, sink]	Output	Function	222
Y-OR-N-P [message]	Query	Function	278
YES-OR-NO-P [message]	Query	Function	278
ZEROP [object]	Numerical	Function	125
+ [n1, ..., nm]	Numerical	Function	131
- [n1, ..., nm]	Numerical	Function	131
* [n1, ..., nm]	Numerical	Function	132
/ [n1, ..., nm]	Numerical	Function	132
+TRAP [obj1, obj2]	Break	Function	277
-TRAP [obj1, obj2]	Break	Function	277
*TRAP [obj1, obj2]	Break	Function	277
/TRAP [obj1, obj2]	Break	Function	277
= [n1, ..., nm]	Numerical	Function	127
/= [n1, ..., nm]	Numerical	Function	127
< [n1, ..., nm]	Numerical	Function	128
> [n1, ..., nm]	Numerical	Function	128
<= [n1, ..., nm]	Numerical	Function	129
>= [n1, ..., nm]	Numerical	Function	129
\ (back slash)	Input	Escape char.	207
(vertical bar)	Input	Escape char.	207
((left parenthesis)	Input	Macro char.	216

)	(right parenthesis)	Input	Macro char.	216
]	(right square bracket)	Input	Macro char.	216
,	(comma)	Input	Macro char.	216
'	(single quote)	Input	Macro char.	216
;	(semicolon)	Input	Macro char.	216
"	(double quote)	Input	Macro char.	217
`	(backquote)	Input	Macro char.	217
+	(last form read)	Driver	Variable	271
++	(form before last form)	Driver	Variable	271
+++	(two before last form)	Driver	Variable	271
*	(value of last form read)	Driver	Variable	271
**	(value of form before last form)	Driver	Variable	271
***	(value of two before last form)	Driver	Variable	271
-	(current form being evaluated)	Driver	Variable	271